RECEIVED CENTRAL FAX CENTER

JAN 2 5 2007

## **AMENDMENTS TO THE CLAIMS:**

Please amend the claims to read as follows:

## Listing of Claims:

- 1. (Currently amended) An apparatus comprising:
- 2 a refrigerator to absorb heat generated by a heat generating unit for be placed in a mobile
- 3 computing device, the refrigerator including to include a cold reservoir and a hot reservoir, the
- 4 cold reservoir to be in thermal contact with a working fluid loop, a fluid of the working fluid
- loop being in thermal contact with the absorb heat generated by a heat generating unit, wherein a 5
- 6 pump of the working fluid loop is powered off in response to of the mobile computing device
- 7 receiving power from a battery power source. computer.
- 2. (Currently amended) The apparatus of claim 1, wherein the refrigerator is located in a docking 1
- 2 station for the mobile computing cold reservoir is in thermal contact with the heat generating
- 3 device.

1

- 1 3. (Original) The apparatus of claim 1, further including a heat exchanger to dissipate heat from
- 2 the hot reservoir.
- 1 4. (Currently amended) The apparatus of claim 1, to further including a working fluid loop with a
- 2 fluid of the loop being in thermal contact with the heat generating device; include;

Application No. 10/816,009 Atty. Docket No. P17631

Examiner Doerrler Art Unit 3744

- a heat exchanger to dissipate heat from the fluid of the loop; and
- 4 the cold reservoir of the refrigerator to absorb heat from the fluid a fan to dissipate heat
- 5 from the heat exchanger.
- 5. (Original) The apparatus of claim 4, wherein the cold reservoir is to absorb heat from the fluid
- 2 of the loop after the heat exchanger has dissipated heat from the fluid of the loop.
- 6. (Currently amended) The apparatus of claim 5, wherein [[a]] the pump of the working fluid
- 2 loop is powered on in response to the mobile computing device receiving power from an
- 3 alternating current (AC) power outlet a first predetermined event.
- 1 7. (Currently amended) The apparatus of claim 6 4, wherein the heat exchanger fan is powered
- 2 on in response to the heat generating unit reaching a given temperature a second predetermined
- 3 event, following the first-predetermined event.
- 8. (Currently amended) The apparatus of claim 71, wherein the refrigerator is powered on in
- 2 response to one or more events selected from a group of events consisting of; a source of power
- 3 provided to the mobile computing device, a given detected temperature of the heat generating
- 4 unit, a given detected internal ambient temperature of the mobile computing device and a level of
- 5 power provided to the heat generating unit a third predetermined event, following the second
- 6 predetermined event.

Application No. 10/816,009 Atty. Docket No. P17631

Examiner Doerrler Art Unit 3744

1	9-14	(Canceled)
	7 IT.	

l 15. (Cu	rently Amend	ed) An appara	tus comprising:
-----------	--------------	---------------	-----------------

- a refrigerator to be placed in a mobile computing device, the refrigerator including a cold
- 3 reservoir and a hot reservoir, the cold reservoir to absorb heat generated by a heat generating unit
- 4 of the mobile computer computing device:
- 5 a heat exchanger to dissipate heat from the hot reservoir;
- a working fluid loop with a fluid of the working fluid loop being in thermal contact with
- 7 the heat generating device unit, and the cold reservoir of the refrigerator to absorb heat from the
- 8 fluid of the working fluid loop; and
- a heat exchanger to dissipate heat from the fluid of the loop;
- 10 a fan to dissipate heat from the heat exchanger; and
- a pump to circulate the fluid of the working fluid loop between the heat generating unit
- 12 and the cold reservoir, wherein the refrigerator, the pump and the fan are selectively powered on
- 13 in response to one or more events selected from a group of events consisting of: a source of
- 14 power provided to the mobile computing device, a given detected temperature of the heat
- 15 generating unit, a given detected internal ambient temperature of the mobile computing device
- and a level of power provided to the heat generating unit.
- 1 16. (Currently amended) The apparatus of claim 15, <u>further comprising a second heat exchanger</u>
- 2 to dissipate heat from the hot reservoir of the refrigerator wherein a pump of the working fluid
- 3 loop is powered on in response to a first predetermined event.

Application No. 10/816,009 Atty, Docket No. P17631

Examiner Doerrler Art Unit 3744

P.09

- 1 17. (Canceled).
- 1 18. The apparatus of claim 17 15, wherein the refrigerator is comprises one of: a vapor
- 2 compression refrigerator, a thermoelectric refrigerator, a thermoionic refrigerator, a magnetic
- 3 refrigerator, a thermo acoustic refrigerator and an absorption refrigerator powered on in response
- 4 to a third predetermined event, following the second predetermined event.
- 1 19-20. (Canceled).